

13.0 LITERATURE CITED

Absolon, R. F., M. B. Eppard, and B. P. Sandford. 2003. Relative survival of PIT-tagged hatchery chinook salmon through Ice Harbor Dam, 2003. Abstract, U.S. Army Corps of Engineers Anadromous Fish Evaluation Program, 2003 Annual Review, Walla Walla, WA.

Arkoosh, M. R., E. Casillas, E. Clemons, B. McCain, and U. Varanasi. 1991. Suppression of immunological memory in juvenile chinook salmon (*Oncorhynchus tshawytscha*) from an urban estuary. *Fish & Shellfish Immunology* 1:261-277.

Arkoosh, M. R., E. Casillas, P. Huffman, E. Clemons, J. Evered, J.E. Stein, and U. Varanasi. 1998. Increased susceptibility of juvenile chinook salmon (*Oncorhynchus tshawytscha*) from a contaminated estuary to the pathogen *Vibrio anguillarum*. *Transactions of the American Fisheries Society*. 127:360-374.

Arkoosh, M. R., E. Clemons, M. Myers, and E. Casillas. 1994. Suppression of B-cell mediated immunity in juvenile chinook salmon (*Oncorhynchus tshawytscha*) after exposure to either a polycyclic aromatic hydrocarbon or to polychlorinated biphenyls. *Immunopharmacology and Immunotoxicology* 16(2):293- 314.

Arthaud, D., K. Kratz, J. Morrow, C. Vandemoer, M. Grady. 2004. Streamflow and salmon production in the interior Columbia basin. NOAA Fisheries, Idaho State Habitat Office (ISHO), Draft Report, Boise, ID.

Bakke, B. 2004. E-mail to Rob Walton re: Wild salmon sanctuaries. Native Fish Society, Portland, OR. September 8. Attachment.

Battelle and USGS (U.S. Geological Survey). 2000. Assessment of the impacts of development and operation of the Columbia River hydroelectric system on mainstem riverine processes and salmon habitats. Battelle Pacific Northwest Division, Richland, Washington, and USGS, Biological Resources Division, Cook, WA.

Beamesderfer, R. C. 1992. Reproduction and early life history of northern squawfish, *Ptychocheilus oregonensis*, in Idaho's St. Joe River. *Environmental Biology of Fishes* 35:231-241.

Beamesderfer, R. C., B. E. Rieman, L. J. Bledsoe, and S. Vigg. 1990. Management implications of a model of predation by a resident fish on juvenile salmonids migrating through a Columbia River reservoir. *North American Journal of Fisheries Management* 10:290-304.

Beamesderfer, R. C., D. L. Ward, and A. A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2898-2908.

Bell, M. C. 1991. Fisheries handbook of engineering requirements and biological criteria. Report to U.S. Army Corps of Engineers, North Pacific Division, Portland, OR.

Bennett, D. H., and Naughton, G. P. 1999. Predator abundance and salmonid prey consumption in tailrace and forebay of Lower Granite Dam. Completion Report. Department of Fish and Wildlife Resources, University of Idaho, Moscow, to U.S. Army Corps of Engineers, Walla Walla District, Project 14-45-0009-1579, Walla Walla, WA. January.

Bentley, W. W., and H. L. Raymond. 1976. Delayed migration of yearling chinook salmon since completion of Lower Monumental and Little Goose dams on the Snake River. Transactions of the American Fisheries Society 105(3):422-424.

Beyer, J. M., G. Lucchetti, and G. Gray. 1988. Digestive tract evacuation in northern squawfish (*Ptychocheilus oregonensis*). Canadian Journal of Fisheries and Aquatic Sciences 45:548-553.

Bilby R. E., T. Bennett, and P. Roni. 2002. Utilization of nitrogen from spawning salmon by juvenile chinook salmon and steelhead from two tributaries of the Columbia River. Final report to Bonneville Power Administration, Portland, OR. April.

Bilby, R. E., B. R. Fransen, J. K. Walter, C. J. Cederholm, and W. J. Scarlett. 2001. Preliminary evaluation of the use of nitrogen stable isotope ratios to establish escapement levels for Pacific salmon. Fisheries 26:6-14.

Bjornn, T. C., M. L. Keefer, C. A. Peery, K. R. Tolotti, R. R. Ringe, and L. C. Stuehrenburg. 2000. Adult chinook and sockeye salmon, and steelhead fallback rates at Bonneville Dam – 1996, 1997, and 1998. Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, for U.S. Army Corps of Engineers, Portland, OR.

Boggs, C.T. and C.A. Peery 2004. Steelhead kelt abundance, condition, passage and survival in the lower Snake and Columbia rivers, 2003. Idaho Cooperative Fish and Wildlife Research Unit, U. of Idaho. ICFWRU Technical Report 2004-1. 11p.

Bottom, D., C.A. Simenstad, A. M. Baptista, D. A. Jay, J. Burke, K. K. Jones, E. Casillas, and M. H. Schiewe. 2001. Salmon at the river's end: The role of the estuary in the decline and recovery of Columbia River salmon. Report to Bonneville Power Administration, Portland, Oregon. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA.

BRT (Biological Review Team). 2003. Draft status review update for West Coast steelhead from Washington, Idaho, Oregon, and California. National Marine Fisheries Service, West Coast Steelhead BRT, Seattle, WA.

Caldwell, B. and D. Catterson. 1992. Methow River Basin fish habitat analysis using the instream flow incremental methodology. Washington Department of Ecology Report #92-82, Olympia, WA.

Casillas, E. 1999. Role of the Columbia River estuary and plume in salmon productivity. NWPPC Ocean Symposium, July 1, 1999. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA.

Casillas E., M. R. Arkoosh, E. Clemons, T. Hom, D. Misitano, T. K. Collier, J. E. Stein, and U. Varanasi. 1995a. Chemical contaminant exposure and physiological effects in out-migrant juvenile Chinook salmon from urban estuaries of Puget Sound, Washington. In *Puget Sound Research 95; Proceedings*. Puget Sound Water Quality Authority, PO Box 40900, Olympia, WA 98504. Pp. 657-665.

__. 1995b. Chemical contaminant exposure and physiological effects in out-migrant juvenile Chinook salmon from selected urban estuaries of Puget Sound, Washington. In *Salmon Ecosystem Restoration: Myth and Reality: Proceedings of the 1994 Northeast Pacific Chinook and Coho Salmon Workshop*, M. Keefe (ed.), American Fisheries Society, Oregon Chapter, Corvallis, OR. Pp. 85-102.

Casillas, E., B-T. L. Eberhart, T. K. Collier, M. M. Krahn, and J. E. Stein. 1998a. Exposure of juvenile chinook salmon to chemical contaminants specific to the Hylebos Waterway: Tissue concentrations and biochemical responses. Interpretive Report prepared for NOAA Damage Assessment Center. Corps, 1999.

Casillas, E., L. Crockett, Y. deReynier, J. Glock, M. Helvey, B. Meyer, C. Schmitt, M. Yoklavich, A. Bailey, B. Chao, B. Johnson, and T. Pepperell. 1998b. Essential fish habitat, west coast groundfish appendix. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA.

CBFWA (Columbia Basin Fish and Wildlife Authority). 1990. Review of the history, development, and management of anadromous fish production facilities in the Columbia River basin. CBFWA, Portland, Oregon. 52 p.

__. 1991. Integrated system plan for salmon and steelhead production in the Columbia River basin. CBFWA, Portland, OR. June 1.

CCT (Colville Confederated Tribe). 2002. Biological assessment for Omak Creek stream channel reconfiguration and bank stabilization. Fish & Wildlife Department. 19 pp.

Collis, K., D. D. Roby, C. Couch, G. Dorsey, K. Fisher, D. E. Lyons, A. M. Myers, S. K. Nelson, R. M. Suryan, A. Evans, and M. Hawbecker. 2003. Caspian tern research on the lower Columbia River, Draft 2003 season summary. Prepared for the Bonneville Power Administration and the Interagency Caspian Tern Working Group, 38 pages. Available at www.columbiabirdresearch.org. Not for citation without authors' permission.

Collis, K., D. D. Roby, D. P. Craig, S. Adamany, J. Adkins, and D. E. Lyons. 2002. Colony size and diet composition of piscivorous waterbirds on the lower Columbia River: Implications for losses of juvenile salmonids to avian predation. *Transactions of the American Fisheries Society* 131: 537-550.

Collis, K., D. D. Roby, D. E. Lyons, M. Antolos, S. K. Anderson, A. M. Myers, and M. Hawbecker. 2000. Caspian tern research on the Lower Columbia River; Final 2000 season summary. Prepared for the Bonneville Power Administration and the Interagency Caspian Tern Working Group, 26 pages. Available at www.columbiabirdresearch.org.

Connor, W. P. *et al.* 2001. Snake River fall chinook salmon early life history and growth as affected by dams. Pages 27 to 60 in K. F. Tiffan, D. W. Rondorf, W. P. Connor, and H. L. Burge, editors. Annual report 1999 to Bonneville Power Administration, Contract Number DE-AI79-91BP21708. Portland, OR. 29 p.

Connor, W. P., H. L. Burge, R. Waitt, and T. C. Bjornn. 2002. Juvenile life history of wild fall chinook salmon in the Snake and Clearwater Rivers. *North American Journal of Fisheries Management* 22:703-712.

Connor, W. P., A. P. Garcia, H. L. Burge, and R. H. Taylor. 1993. Fall chinook salmon spawning in free-flowing reaches of the Snake River: Pages 1 to 29 in D. W. Rondorf and W. H. Miller, editors. Identification of the spawning, rearing, and migratory requirements of fall chinook salmon in the Columbia River basin. 1991 Annual Report to Bonneville Power Administration, Project No. 91-029, Contract DE-AI79-91BP21708, Portland, OR.

Connor, W. P., J. G. Sneva, K. F. Tiffan, R. K. Steinhorst, and D. Ross. In press. Two alternative life histories for fall chinook salmon in the Snake River basin. Accepted for publication in *Transactions of the American Fisheries Society* on August 9, 2004.

Connor, W. P., R. K. Steinhorst and H. L. Burge. 2003. Migrational behavior and seaward movement of wild subyearling fall chinook salmon in the Snake River. *North American Journal of Fisheries Management* 23:414-430.

Cooney, T. 2004. Updated trend data sets for Interior Columbia basin ESUs. http://www.salmonrecovery.gov/remand/analysis_reports/updated_interior_brt_trend_data.pdf October 14.

Corps (U.S. Army Corps of Engineers) 1960. Progress Report on fisheries engineering research program. U.S. Army Corps of Engineers, North Pacific Division. Portland, OR. July. 152 p.

—. 1994. Draft Columbia River salmon mitigation analysis system configuration study, phase 1, appendix B: John Day Reservoir minimum operating pool technical report. U.S. Army Corps of Engineers, Portland, OR. April.

—. 1999. Columbia River channel improvement study – Final integrated feasibility report and environmental impact statement. August 1999.

Coutant, C.C. 1999. Perspectives on Temperature in the Pacific Northwest's Fresh Waters. Environmental Sciences Division Publication 4849 (ORNL/TM-1999/44), Oak Ridge National Laboratory, Oak Ridge, TN. 108 p.

Cramer, S. P., C. W. Huntington, and C. R. Steward. 1998. Harvest of anadromous fishes lost by the Nez Perce Indian tribe as a result of Lewiston and Harpster dams in the Clearwater River basin. S.P. Cramer & Associates, Inc., Gresham, OR.

Cramer, S. P., J. Norris, P. Mundy, G. Grette, K. O'Neal, J. Hogle, C. Steward, and P. Bahls. 1999. Status of chinook salmon and their habitat in Puget Sound, volume 2. S. P. Cramer and Associates, Inc., Final Report, Gresham, OR.

CREDDP (Columbia River Estuary Data Development Program). 1980. A literature survey of the Columbia River estuary: Volume 1. Pacific Northwest River Basins Commission, Vancouver, WA.

CTUIR (Confederated Tribes of the Umatilla Indian Reservation). 2001. McKay Creek: Instream flows and fisheries management considerations. Fisheries Program, Department of Natural Resources. Pendleton, OR.

Cudaback, C. N. and D. A. Jay. 1996. Buoyant plume formation at the mouth of the Columbia River – an example of internal hydraulic control. *Buoyancy Effects on Coastal and Estuarine Dynamics*, AGU Coastal and Estuarine Studies 53: 139-154.

DART, U. Wash. Data access in real time. University of Washington School of Aquatic & Fishery Sciences Columbia Basin Research. Available at:
<http://www.cqs.washington.edu/dart/dart.html>.

Dauble, D. D., R. L. Johnson, R. P. Mueller, and C. S. Abernathy. 1995. Spawning of fall chinook salmon downstream of lower Snake River hydroelectric projects 1994. U.S. Army Corps of Engineers, Walla Walla District, Walla Walla, WA. 14 p.

Dawley, E. M., R. D. Ledgerwood, T. H. Blahm, C. W. Sims, J. T. Durkin, R. A. Kirn, A. E. Rankis, G. E. Moran, and F. J. Ossiander. 1986. Migrational characteristics, biological observations, and relative survival of juvenile salmonids entering the Columbia River estuary, 1966-1983. Final Report to Bonneville Power Administration, Portland, Oregon by National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA,.

Dorsey, G. 2004. Personal e-mail. Personal communication from Geoff Dorsey. U. S. Army Corps of Engineers, Portland, OR. November 11.

Ecovista, Nez Perce Tribe Wildlife Division, and Washington State University Center for Environmental Education. 2003. Draft Clearwater subbasin assessment. Report prepared for Nez Perce Tribe Watersheds Division and Idaho Soil Conservation Commission. Available at:
<http://www.nwcouncil.org/fw/subbasinplanning/Clearwater/plan/Default.htm>. August.

Ehlke, R. D. and K. Keller. 2003. 2002 chum salmon spawning ground surveys on the mainstem Columbia and its Washington tributaries. Report to Bonneville Power Administration, Contract Number 1999-003-01, by Pacific States Marine Fisheries Commission, Vancouver, WA.

EMCON (EMCON Northwest, Inc.). 1993. Upper Methow Valley ground water management area hydrogeological summary report. Portland, OR.

Emmett, R. L., S. L. Stone, et al. (1991). Distribution and abundance of fishes and invertebrates in west coast estuaries, Volume II: Species life history summaries. Rockville, MD, NOAA/NOS Strategic Environmental Assessments Division: 329 pages.

Eppard, M. B., E. E. Hockersmith, G. A. Axel, and B. P. Sandford. 2002a. Spillway survival for hatchery yearling and subyearling chinook salmon passing Ice Harbor Dam, 2000. Report to U.S. Army Corps of Engineers, Contract W68SBV92844866. (Available from Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, WA 98112-2097.)

_____. 2002b. Ice Harbor Dam spillway survival and migrational characteristics of juvenile chinook salmon through McNary Dam, 2002. Abstract, U.S. Army Corps of Engineers Anadromous Fish Evaluation Program, 2002 Annual Review, Portland, OR.

Faler, M. P., L. M. Miller, and K. I. Wedke. 1988. Effects of variation in flow on distribution of northern squawfish in the Columbia River below McNary Dam. *North American Journal of Fisheries Management* 8:30-31.

Falter, C. M. 1969. Digestive rates and daily rations of northern squawfish in the St. Joe River, Idaho. Doctoral dissertation. University of Idaho, Moscow, ID.

Federal Caucus. 2000. Conservation of Columbia River fish: Final basinwide salmon recovery strategy. Federal Caucus, Portland, OR. December. Available at: http://www.salmonrecovery.gov/Archive_chronological.shtml.

Ferguson, J. W. 2004. Memorandum to FCRPS Biological Opinion Remand Administrative Record RE: Updated estimates of free flowing river survival. November 2, 2004, memorandum to J. Ruff. 7 p. + attachment.

Ferguson, J. W., G. M. Matthews, R. L. McComas, R. F. Absolon, D. A. Brege, M. H. Gessel, L. G. Gilbreath. 2004. Passage of adult and juvenile salmon through Federal Columbia River Power System dams. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, WA. June.

Fisher, T. (2004). Recent estimates of ESU abundance. Memorandum from T. Fisher, Fisher Fisheries, Ltd., to J. Geiselman, BPA, Portland, OR. October 25.

Fisher, T. and R. Hinrichsen. 2004. Preliminary abundance-based trend results for Columbia basin salmon and steelhead ESUs. Report for J. Geiselman, Bonneville Power Administration, Portland, OR. November.

- Flagg, T. A., F. W. Waknitz, D. J. Maynard, G. B. Milner, and C. V. W. Mahnken. 1995. The effect of hatcheries on native coho salmon populations in the lower Columbia River. *In* Uses and effects of cultured fishes in aquatic systems. Transactions of the American Fisheries Society 15:366-375.
- Fox, D. S., S. Bell, W. Nehlsen, J. Damron, E. Krebill, and Northwest Cartography, Inc. 1984. The Columbia River estuary. Atlas of physical and biological characteristics. Columbia River Estuary Data Development Program. June.
- Fresh, K. 2004. E-mail L. Krasnow re: Q re. use of plume. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, WA. June 25.
- Fresh, K. L., E. Casillas, L. L. Johnson, and D. L. Bottom. 2004. Role of the estuary in the recovery of Columbia River basin salmon and steelhead: an evaluation of the effects of selected factors on population viability. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, WA. June.
- Friesen, T. A., and D. L. Ward. 1999. Management of northern squawfish and implications for juvenile survival in the lower Columbia and Snake rivers. *North American Journal of Fisheries Management* 19:406-420.
- Fulton, L. A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye, and chum salmon in the Columbia River basin – past and present. Spec. Sci. Rep. – Fisheries No. 618. NOAA Fisheries, Washington, D.C. 37 p.
- Gadomski, D. M., M. G. Mesa, and T. M. Olson. 1994. Vulnerability to predation and physiological stress responses of experimentally descaled juvenile chinook salmon, *Oncorhynchus tshawytscha*. *Environmental Biology of Fishes* 39:191-199.
- Golder (Golder Associates). 1991. Ground-water modeling of the upper Methow valley: A report to the Early Winters Project.
- Good, T. P., K. Barnas, D. M. Marsh, M. M. McClure, B. A. Ryan, B. P. Sandford, and E. Casillas. 2004. Caspian tern predation on juvenile salmonid outmigrants in the Columbia River estuary. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, WA. June.
- Gray, G. A., and D. W. Rondorf. 1986. Predation on juvenile salmonids in Columbia Basin reservoirs. Pages 178-185 *in* G. E. Hall and M. J. Van Den Avyle, editors. Reservoir fisheries management strategies for the '80s. American Fisheries Society, Southern Division, Reservoir Committee, Bethesda, MD.
- Gresh, T, J. Lichatowich, and P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries* 25:15-21.

Helfield, J. M. and R. J. Naiman. In press. Fertilization of riparian vegetation by spawning salmon: effects on tree growth and implications for long-term productivity. University of Washington, Seattle, WA.

Henjum, M. G., J. R. Karr, D. L. Bottom, D. A. Peery, J. C. Bednarz, S. G. Wright, S. A. Beckwitt, and E. Beckwitt. 1994. Interim protection for late-successional forests, fisheries, and watersheds: national forests east of the Cascade Crest, Oregon, and Washington. The Wildlife Society, Bethesda, MD.

Hickey, B. M., L. J. Pietrafesa, D. A. Jay, and W. C. Boicourt. 1997. The Columbia River plume study: subtidal variability in the velocity and salinity field, in press, J. of Geophys. Res.

Higginbotham, F.G. 2003. Biological assessment for birds, mammals, and fish in the upper Salmon River at Challis Project. May 28. Prepared for the U.S. Army Corps of Engineers, Walla Walla, WA.

HSRG (The Hatchery Scientific Review Group). 2003. Hatchery reform recommendations, Skagit River Basin, Nooksack and Samish Rivers, Central Puget Sound. Copies available at Long Live the Kings, 1305 Fourth Avenue, Seattle, WA 98101 or www.lltk.org/hatcheryreform.html. 214 p. March.

Hyde, N., A. Chawla, A. Baptista, J. Zhang, C. Seaton, P. Turner and M. Zulauf, 2004. Columbia River habitat opportunity: Sensitivity to river discharge. Unpublished report prepared for NOAA Fisheries, October 30, 2004.

Independent Scientific Group. 1996. Return to the river: Restoration of salmonid fishes in the Columbia River ecosystem. Northwest Power Planning Council. Portland, OR. 500 p.

IDEQ (Idaho Department of Environmental Quality). 1999. Lemhi River watershed TMDL: An allocation of nonpoint source pollutants in the water quality limited watersheds of the Lemhi River valley. December.

IOSC (Office of Species Conservation), IDWR, IDFG, USBWP, NMFS, NOAA, USFWS, Lemhi Irrigation District, Water District 74, Water District 74Q, Water District 74W, and Water District 74Z. 2002. 2002-2003 conservation agreement in the Lemhi River basin.

ISAB (Independent Scientific Advisory Board). 1998. Response to the questions of the implementation team regarding juvenile salmon transportation in the 1998 season. Report 98-2. Northwest Power Planning Council. Portland, Oregon.

—. 1999. Review of the National Marine Fisheries Service draft cumulative risk analysis addendum "An assessment of lower Snake River hydrosystem alternatives on survival and recovery of Snake River salmonids." ISAB, Report 99-6, for Northwest Power Planning Council and National Marine Fisheries Service, Portland, OR. October 12.

ISG (Independent Science Group). 1996. Return to the river: Restoration of salmonid fishes in the Columbia River ecosystem. ISG, Report 96-6, for Northwest Power Planning Council, Portland, OR. 522 p.

Jay, D. A., K. Leffler and T. Kukulka, 2004. Summer shallow-water habitat in the Skamokawa-Beaver Reach under the reference vs. proposed flow regimes. Unpublished report prepared for NOAA Fisheries, October 27, 2004.

Kagan, J. S., R. Morgan, and K. Blakely. 2000. Umatilla and Willow Creek basin assessment for shrub steppe, grasslands, and riparian wildlife habitats. EPA Regional Geographic Initiative Final Report. Oregon Natural Heritage Program, Portland, OR. September. 25 p. + maps.

Kareiva, P., M. Marvier, and M. McClure. 2000. Recovery and management options for spring/summer chinook salmon in the Columbia River basin. *Science* 290:977-979.

Keefer, M. L. and C. Peery. 2004. Adult salmonid fallback and escapement during summer (July-August) spill/no spill periods at Bonneville, The Dalles, John Day and Ice Harbor dams. Letter Report, University of Idaho, Moscow, ID. March 22.

Keefer, M. L., C. Peery, W. R. Daigle, M. A. Jepson, S. R. Lee, C. T. Boggs, K. Tolotti, T. C. Bjornn, B. J. Burke, M. L. Moser, and L. C. Stuehrenberg. 2004. Escapement, harvest, and unaccounted-for loss of radio-tagged adult chinook salmon and steelhead in the Columbia-Snake River hydrosystem, 1996-2002. Draft Technical Report 2004-7 to the U.S. Army Corps of Engineers and Bonneville Power Administration, University of Idaho, Idaho Cooperative Fish and Wildlife Research Unit, Moscow, ID. 42 p.

Lee, D. C., J. R. Sedell, B. E. Rieman, R. F. Thurow, and J. E. Williams. 1997. Broad-scale assessment of aquatic species and habitats. Volume III, Chapter 4. U.S. Forest Service, General Technical Report. PNW-GTR-405. Portland, OR.

Love, M. S. 1991. Probably more than you want to know about the fishes of the Pacific Coast. Really Big Press, Santa Barbara, CA. 215 pp.

Mantua, N. J., and R. C. Francis. (In press). Natural climate insurance for Pacific Northwest salmon and salmon fisheries: Finding our way through the entangled bank. To appear in E.E. Knudsen and D. MacDonald (eds), *Fish in our Future? Perspectives on Fisheries Sustainability*. A special publication of the American Fisheries Society.

Marmorek, D. R., M. Porter, I. J. Parnell, and C. C. Peters, eds. 2004. Comparative Survival Study Workshop, February 11-13, 2004, Bonneville Hot Springs Resort. Report compiled and edited by ESSA Technologies, Ltd., Vancouver, B.C., for Fish Passage Center, Portland, OR, and USFWS, Vancouver, WA. 137 pp. Available at: <http://www.fpc.org>

Maser, C., and J. R. Sedell. 1994. From the forest to the sea: The ecology of wood in streams, rivers, estuaries, and oceans. St. Lucie Press, Delray Beach, FL.

McElhany, P., M. H. Ruckelshaus, M. J. Ford, T. C. Wainwright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA. June.

McElhany, P., T. Backman, C. Busack, S. Kolmes, J. Myers, D. Rawding, A. Steel, C. Steward, T. Whitesel, and C. Willis. 2004. Status evaluation of salmon and steelhead populations in the Willamette and lower Columbia basins. Willamette/Lower Columbia Technical Recovery Team. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, WA. July.

McMahon, T. E. and D. H. Bennett. 1996. Walleye and northern pike: Boost or bane to northwest fisheries? *Fisheries* 21:6-13.

McIntosh, B.A., J.R. Sedell, J.E. Smith, R.C. Wissmar, S.E. Clarke, G.H. Reeves, and L.A. Brown. 1994. Management History of Eastside Ecosystems: Changes in Fish Habitat Over 50 Years, 1935 to 1992. USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-321. February.

Meador, J. 2000. An analysis in support of sediment quality guidelines PCBs for the protection of threatened and endangered salmonids. Internal report, NMFS. Memo from Tracy K. Collier, through John E. Stein, to Steven Landino. Northwest Fisheries Science Center, NOAA Fisheries, Seattle, WA. September.

Mesa, M. G. 1994. Effects of multiple acute stressors on the predator avoidance ability and physiology of juvenile chinook salmon. *Transactions of the American Fisheries Society* 123:786-793.

Mesa, M. G., and T. M. Olsen. 1993. Prolonged swimming performance of northern squawfish. *Transactions of the American Fisheries Society* 122:1104-1110.

Methow Valley Planning Committee (Methow Valley Water Pilot Planning Project Planning Committee). 1994. Draft Methow River basin plan. January.

Mullan, J. W., K. R. Williams, G. Rhodus, T. W. Hillman, and J. D. McIntyre. 1992. Production and habitat of salmonids in mid-Columbia River tributary streams. U.S. Fish and Wildlife Service Monograph 1.

Murtagh, T., R. Rohrer, M. Gray, E. Olsen, R. Rien, and J. Massey. 1992. Clackamas subbasin fish management plan. Ore. Dept. Fish and Wildlife, Portland, OR. 174 p.

Myers, J. M., R. G. Kope, G. Bryant, et al. 1998. Status review of chinook salmon from Washington, Idaho, Oregon, and California. NOAA Fisheries Technical Memorandum. NMFS-NWFSC-35. National Marine Fisheries Service, Seattle, WA. 443 p. February.

NMFS (National Marine Fisheries Service). 1995. Proposed recovery plan for Snake River salmon. NOAA Fisheries, Portland, OR. 364 p.

NMFS (National Marine Fisheries Service) 1996. Making Endangered Species Act Determinations of Effect for Individual and Grouped Actions at the Watershed Scale. Habitat Conservation Program, Portland, OR.

—. 1999a. Memorandum re. Habitat approach to NMFS/NWR staff from R. Applegate, NMFS, Portland, Oregon and D. Darm, NMFS, Seattle, Washington. August 26. [Find this citation in the document as NMFS 1999 and change to 1999a]

—. 1999b. Biological Opinion and incidental take statement on 1999 Treaty Indian and non-Indian fall season fisheries in the Columbia River basin. NMFS, Endangered Species Act Section 7 consultation. July 30.

—. 2000a. Endangered Species Act – Section 7 Consultation, Biological Opinion; Reinitiation of consultation on operation of the Federal Columbia River Power System, including the juvenile fish transportation program, and 19 Bureau of Reclamation projects in the Columbia basin. National Marine Fisheries Service, Northwest Region, Portland, OR. December 21.

—. 2000b. White paper: Predation on salmonids relative to the Federal Columbia River Power System. NMFS, Northwest Fisheries Science Center, Seattle, WA. February.

—. 2000c. Draft biological opinion: Operation of the Federal Columbia River Power System including the juvenile fish transportation program and the Bureau of Reclamation's 31 projects, including the entire Columbia Basin Project. National Marine Fisheries Service, Northwest Region, Portland, OR. July 27.

—. 2000d. White paper: Salmonid travel time and survival related to flow in the Columbia River basin. NMFS, Northwest Fisheries Science Center, Seattle, WA. March.

—. 2002a. Endangered and threatened species: Findings on petitions to delist Pacific salmonid ESUs. Federal Register [Docket No. 020205024-2024-01] 67(28): 6215–6220.

—. 2002b. Interim abundance and productivity targets for Interior Columbia basin salmon and steelhead listed under the Endangered Species Act (ESA). Letter from B. Lohn (NMFS) to D. Cassidy, Northwest Power Planning Council. April 4. Enclosure.

—. 2003a. Second draft recovery strategy and status report: Snake River salmon and steelhead. Seattle, WA.

—. 2003b. Preliminary conclusions regarding the updated status of listed ESUs of West Coast salmon and steelhead. Comanager review draft. West Coast Salmon Biological Review Team. Southwest Fisheries Science Center, La Jolla, California, and Northwest Fisheries Science Center, Seattle, WA. February.

—. 2003c. Memorandum re: Request for information, including non-Federal salmon habitat actions in the Columbia basin, to technical contacts for states and Tribes in the Columbia basin from R. Walton, NMFS. Portland, OR. November 26.

—. 2003d. Endangered Species Act Section 7 formal consultation and Magnuson-Stevens Fishery Conservation and Management Act essential fish habitat consultation for the Mill Creek FRIMA Project (WRIA 45) December 5.

—. 2004a. Biological opinion on impacts of treaty Indian and non-Indian fall season fisheries in the Columbia River basin in year 2004 on salmon and steelhead listed under the Endangered Species Act. Copies available from National Marine Fisheries Service, 7600 Sand Point Way, NE, Seattle, WA 98115.

—. 2004b. Artificial propagation evaluation workshop report. NOAA Fisheries, Northwest Region, Protected Resources Division. April 21-23, 2004. Available at: www.nwr.noaa.gov/lsrc/Prop_Determins/

—. 2004c. Technical memorandum: Passage of adult and juvenile salmon through Federal Columbia River Power System dams. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, WA. June 8. Available at: http://www.salmonrecovery.gov/remand/analysis_reports/hydro/FP-Tech-Memo-June-8-04.pdf

—. 2004d. Memorandum re: Preliminary survival estimates for passage during the spring migration of juvenile salmonids through the Snake and Columbia river reservoirs and dams, to J. D. Ruff from J. W. Ferguson, NOAA Fisheries, Portland, OR. October 14.

—. 2004e. Biological Opinion on 2004-2005 routine maintenance dredging in the lower Snake River reservoirs. Habitat Conservation Division, Washington State Habitat Office (Issued March 15, 2004).

—. 2004f. Memorandum re: Effect on shallow water habitat by operating John Day pool at MOP, to file from J. D. Ruff and C. V. Ross, NOAA Fisheries, Portland, OR. November 11.

—. 2004g. Endangered Species Act interagency consultation and Magnuson-Stevens Fishery Conservation and Management Act essential fish habitat consultation for the Salmon Creek Streambank Stabilization and Fish Habitat Improvement Project, Salmon Creek, Okanogan County, WA (HUC 170200060304, Lower Salmon Creek) August 27.

—. 2004h. Endangered Species Act Section 7 formal consultation and Magnuson-Stevens Fishery Conservation and Management Act essential fish habitat consultation for the ongoing operation of the Umatilla Project and the Umatilla Basin Project and informal consultation for the 2004 Westland Irrigation District temporary water service contract, Columbia River, Umatilla River, and McKay Creek, HUCs – 17070103 (Umatilla) and 17070101 (Middle Columbia-Lake Wallula), Umatilla and Morrow Counties, OR. April 23.

—. 2004i. Endangered Species Act Section 7 Formal Consultation and Magnuson-Stevens Fishery Conservation and Management Act Essential Fish Habitat Consultation for Potlatch Pulp and Paper Mill, Lewiston, Idaho, National Pollution Discharge Elimination System (NPDES) Permit No.: ID-000116-3 for the discharge of effluents into the Snake River,

Nez Perce County, Idaho and Asotin County, WA

Nowak, M. C. *et al.* 2001. Grande Ronde subbasin summary. Draft report to the Northwest Power Planning Council. Portland, OR. November 30. Available at:
<http://www.cbfwa.org/files/province/blue/subsum/011130Grande.pdf>.

NWPCC (Northwest Power and Conservation Council). 2004a. Draft John Day River subbasin plan. Portland, OR. May 28. Available at:
<http://www.nwppc.org/fw/subbasinplanning/johnday/plan/>

_____. 2004b. Draft Salmon River subbasin plan. Portland, OR. June. Available at:
www.nwcouncil.org/fw/subbasinplanning/salmon/plan/

_____. 2004c. Draft Umatilla/ Willow subbasin plan. Portland, OR. May 28. Available at:
<http://www.nwppc.org/fw/subbasinplanning/umatilla/plan/>

_____. 2004d. Entiat subbasin plan. NWPPC, Portland, OR. May 28.

NRC (National Research Council). 1996. Upstream: salmon and society in the Pacific Northwest. National Academy Press, Washington, D.C.

NPPC (Northwest Power Planning Council). 1986. Compilation of information on salmon and steelhead losses in the Columbia River basin. Report to the Northwest Power Planning Council. Portland, OR. 252 p.

NPPC. 2001. see page 5-86 of main BiOp

NWFSC (Northwest Fisheries Science Center) Environmental Conservation Division. 2001, in draft. Potential impacts of toxic contaminants in salmonids and prey from the Columbia River estuary. 26 pp.

ODEQ (Oregon Department of Environmental Quality). 2001. Total maximum daily load program for the Umatilla basin. 420 p.

ODFW (Oregon Department of Fish and Wildlife). 2001. Upper Willamette River spring chinook in freshwater fisheries of the Willamette basin and lower Columbia River. Portland, Oregon.

Ogden Beeman and Associates. 1997. Site Designs for Upland Disposal, Columbia River Deepening Project. Final Report.

Park, D. L. 1969. Seasonal changes in downstream migration of age-group 0 chinook salmon in the upper Columbia River. Transactions of the American Fisheries Society 98:315-317.

Peterson, J. J., and R. E. Jackson. 1990. Methow River basin single domestic water use estimate. 17 p.

Peterson, J. J., and A. G. Larson 1991. Beaver Creek, Methow River Closed Tributary Report. Water Resources, Washington Department of Ecology, Olympia, WA.

PFMC (Pacific Fishery Management Council). 1998a. Amendment 8 to coastal pelagic species fishery management plan. PFMC, Portland, OR. December.

—. 1998b. Final environmental assessment: regulatory review for Amendment 11 to Pacific Coast groundfish fishery management plan. PFMC, Portland, OR. October.

—. 1998c. Essential fish habitat, coastal pelagic species. Pacific Fishery Management Council, Portland, OR. December.

—. 1999. Amendment 14 to the Pacific coast salmon plan. Appendix A: Description and identification of essential fish habitat, adverse impacts and recommended conservation measures for salmon. PFMC, Portland, OR.

—. 2003. Final environmental impact statement for the proposed groundfish acceptable biological catch and optimum yield specifications and management measures: 2003 Pacific coast groundfish fishery. Pacific Fishery Management Council, Portland, OR.

Poe, T. P., H. C. Hansel, S. Vigg, D. E. Palmer, and L. A. Prendergast. 1991. Feeding of predaceous fishes on out-migrating juvenile salmonids in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society, 120:405-420.

Poe, T. P., M. G. Mesa, R. S. Shively, and R. D. Peters. 1994. Development of biological criteria for siting and operation of juvenile bypass systems: implications for protecting juvenile salmonids from predation. Pages 169-176 in Proceedings of symposium on fish passage responsibility and technology, American Fisheries Society Annual Meeting, 1993, Portland, OR.

Quinn, T. P. and N. P. Peterson. 1996. The influence of habitat complexity and fish size on over-winter survival and growth of individually marked juvenile coho salmon (*Oncorhynchus kisutch*) in Big Beef Creek, Washington. Can. J. Fish. Aquat. Sci. 53:1555-1564.

Raymond, H. L. 1968. Migration rates of yearling chinook salmon in relation to flows and impoundments in the Columbia and Snake rivers. Transactions of the American Fisheries Society 97:356-359.

—. 1969. Effect of John Day reservoir on the migration rate of juvenile chinook salmon and steelhead in the Columbia River. Transactions of the American Fisheries Society 98:513-514.

—. 1979. Effects of dams and impoundments on migrations of juvenile chinook salmon and steelhead from the Snake River, 1966 to 1975. Transactions of the American Fisheries Society 108:505-529.

—. 1988. Effects of hydroelectric development and fisheries enhancement on spring and summer chinook salmon and steelhead in the Columbia River basin. *North American Journal of Fisheries Management* 8:1-24.

Rhodes, J.J., D.A. McCullough, and F.A. Espinosa, Jr. 1994. A Coarse Screening Process for Potential Application in ESA Consultations. Columbia River Intertribal Fish Commission. Prepared under NMFS/BIA Inter-Agency Agreement 40ABNF3. December.

Rich, W. H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento rivers. *Bulletin of the U.S. Bureau of Fisheries* 37:1-74.

Rieman, B. E., and R. C. Beamesderfer. 1990. Dynamics of a northern squawfish population and the potential to reduce predation on juvenile salmonids in a Columbia River reservoir. *North American Journal of Fisheries Management* 10:228-241.

Rieman, B. E., R. C. Beamesderfer, S. Vigg, and T. P. Poe. 1991. Estimated loss of juvenile salmonids to predation by northern squawfish, walleyes, and smallmouth bass in John Day Reservoir, Columbia River. *Transactions of the American Fisheries Society* 120:448-458.

Roby, D., K. Collis, D. E. Lyons, D. P. Craig, J. Y. Adkins, A. M. Myers, R. M. Suryan. 2002. Effects of colony relocation on diet and productivity of Caspian terns. *Journal of Wildlife Management*. 66:662-673

Roby, D. D., D. P. Craig, K. Collis, and S. L. Adamany. 1998. Avian predation on juvenile salmonids in the lower Columbia River. Report to Bonneville Power Administration and U.S. Army Corps of Engineers. Oregon Cooperative Fish and Wildlife Research Unit, Corvallis and Columbia River Inter-Tribal Fish Commission, Portland, OR. September revision.

Roby, D. D., D. E. Lyons, D. P. Craig, K. Collis, and G. H. Visser. 2003. Quantifying the effects of predators on endangered species using a bioenergetics approach: Caspian terns and juvenile salmonids in the Columbia River estuary. *Canadian Journal of Zoology* 81:250-265.

Ruggerone, G. T. 1986. Consumption of migrating juvenile salmonids by gulls foraging below a Columbia River dam. *Transactions of the American Fisheries Society* 115:736-742.

Ryan, B. A., S. G. Smith, J. M. Butzerin, and J. W. Ferguson. 2003. Relative vulnerability to avian predation of juvenile salmonids tagged with passive integrated transponders in the Columbia River estuary, 1998-2000. *Transactions of the American Fisheries Society* 132: 275-288.

Sauter, S.T., R.M. Schrock, J.H. Petersen, and A.G. Maule. 2004. Assessment of smolt condition: Biological and environmental interactions—The impact of prey and predators on juvenile salmonids. U. S. Geological Survey, Columbia River Research Laboratory, Cook, Washington, Draft final report to Bonneville Power Administration, BPA project no. 8740100. 40 pages. July.

- Schaller, H. A., C. E. Petrosky, and O. P. Langness. 1999. Contrasting patterns of productivity and survival rates for stream-type chinook salmon (*Oncorhynchus tshawytscha*) populations of the Snake and Columbia rivers. *Canadian Journal of Aquatic Sciences* 56:1031-1045.
- Sedell, J. R. and J. L. Froggatt. 1984. Importance of streamside forests to large rivers: The isolation of the Willamette River, Oregon, USA, from its floodplain by snagging and streamside forest removal. *Internationale Vereinigung fur theoretische und angewandte Limnologie Verhandlungen* 22:1828-1834.
- Sherwood, C. R., D. A. Jay, R. B. Harvey, P. Hamilton and C. A. Simenstad. 1990. Historical changes in the Columbia river estuary. *Progr. Oceanogr.* 25: 299-352.
- Simenstad, C.A., K.L. Fresh, and E.O. Salo. 1982. The Role of Puget Sound and Washington Coastal Estuaries in the Life History of Pacific Salmon: An Unappreciated Function. in *Estuarine Comparisons*, edited by V.S. Kennedy, pp. 343-364. Academic Press, New York NY.
- Simenstad C.A., L.F. Small, and C.D. McIntire. 1990. Consumption Processes and Food Web Structure in the Columbia River Estuary. *Progress in Oceanography* 25:271-297.
- Spence, B. C., G. A. Lomnický, R. M. Hughes, and R. P. Novitzki. 1996. An ecosystem approach to salmonid conservation. ManTech Environmental Research Services, Inc., Corvallis, Oregon, to National Marine Fisheries Service, Habitat Conservation Division, Portland, OR (Project TR-4501-96-6057).
- Stansell, R. J. 2004. Evaluation of pinniped predation on adult salmonids and other fish in the Bonneville Dam tailrace, 2002-2004. Draft report to Corps of Engineers. June 30.
- Steigenberger, L. W., and P. A. Larkin. 1974. Feeding activity and rates of digestion of northern squawfish (*Ptychocheilus oregonensis*). *Journal of the Fisheries Research Board of Canada* 31:411-420.
- Tabor, R. A., R. S. Shively, and T. P. Poe. 1993. Predation of juvenile salmonids by smallmouth bass and northern squawfish in the Columbia River near Richland, Washington. *North American Journal of Fisheries Management* 13:831-838.
- Thomas, D.W. 1983. Changes in the Columbia River Estuary Habitat Types Over the Past Century. Columbia River Estuary Study Taskforce (CREST) Columbia River Estuary Data Development Program, Astoria, OR. 51 pp.
- Tiffan, K. F., D. W. Rondorf, W. P. Connor, H. L. Burge. 2001. Post-release attributes and survival of hatchery and natural fall chinook salmon in the Snake River. 1999 Annual Report to Bonneville Power Administration, Contract No. 00000161-, Project No. 199102900, 140 electronic pages (BPA Report DOE/BP-00000161-1). Portland, OR. 140 p.

TRT (Interior Columbia Basin Technical Recovery Team). 2003. Independent populations of chinook, steelhead, and sockeye for listed evolutionarily significant units within the Interior Columbia River Domain. Working draft. NOAA Fisheries, Northwest Fisheries Science Center, Seattle, WA.

USACE (U.S. Army Corps of Engineers). 2001. Biological Assessment - Columbia River Channel Improvements Project: An internal report to the National Marine Fisheries Service and U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers, Portland District.

_____. 2004. Turbine Survival Program (TSP) Phase I Report 1997-2003. USACE, Portland District, Portland, OR. February 2004. 215 pages.

USBR (U.S. Bureau of Reclamation). 2001. Evaluations of six priority subbasins for the implementation of 1-year plans in fiscal year 2002. October 31.

US Census Bureau. 2003. State and county quickfacts, Available at:
<http://quickfacts.census.gov/qfd/states/41/41051.html><http://quickfacts.census.gov/qfd/>

USDA (U.S. Department of Agriculture). 1998. South Fork Clearwater River Landscape Assessment. Nez Perce National Forest, Grangeville, ID.

USDA/USFS (U. S. Forest Service). 2001. Middle Fork John Day River subbasin: Draft biological assessment for mid-Columbia steelhead trout and steelhead trout designated critical habitat and Magnuson-Stevens Act essential fish habitat (EFH) for spring chinook salmon. USDA/USFS, North Fork John Day Ranger District, Umatilla National Forest. Updated July 24. 67 p.

USDI-BLM (U.S. Department of the Interior and U.S. Bureau of Land Management). 1999. Steelhead Section 7 Consultation - Lemhi River Watershed.

USFS (U.S.D.A. Forest Service). 1998a. Biological Assessment for the Skyline Ditch, Chewuch River. Winthrop Ranger District, Okanogan National Forest. March 10.

_____. 1998b. Biological Assessment for the potential effects of managing the Payette National Forest in Main Salmon River Tributary Watersheds (Little Salmon River to South Fork Salmon River) on Snake River spring/summer chinook salmon and Snake River steelhead, Volume XII: ongoing activities. Payette National Forest, McCall, Idaho.

USFWS (U.S. Fish and Wildlife Service), and NMFS (National Marine Fisheries Service). 1998. Endangered species, consultation handbook: Procedure for conducting consultation and conference activities under Section 7 of the Endangered Species Act. USFWS and NMFS, March.

U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers and NOAA Fisheries. 2004. Caspian tern management to reduce predation of juvenile salmonids in the Columbia River estuary. Draft Environmental Impact Statement. Portland, OR.

USRITAT (Upper Salmon River Interagency Technical Advisory Team). 1998. Upper Salmon River key watershed bull trout problem assessment draft (USRPA). Idaho Dept. of Fish and Game. Boise, ID. 171 p.

Van Hyning, J. M. 1973. Factors affecting the abundance of fall chinook salmon in the Columbia River. Research Report for Fisheries Commission of Oregon 4:3-87.

Varanasi, U., E. Casillas, M. R. Arkoosh, T. Hom, D. A. Misitano, D. W. Brown, S-L Chan, T. L. Collier, B. B. McCain and J. E. Stein. 1993. Contaminant exposure and associated biological effects in juvenile chinook salmon (*Oncorhynchus tshawytscha*) from urban and nonurban estuaries of Puget Sound, U.S. Dep. Commer., NOAA Tech. Memo. NMFS-NWFSC-8, p. 112.

Vigg, A., and C. C. Burley. 1991. Temperature dependent maximum daily consumption of juvenile salmonids by northern squawfish (*Ptychocheilus oregonensis*) from the Columbia River. Canadian Journal of Fisheries and Aquatic Sciences 48:2491-2498.

Vigg, S., T. P. Poe, L. A. Prendergast, and H. C. Hansel. 1991. Rates of consumption of juvenile salmonids and alternate prey fish by northern squawfish, walleyes, smallmouth bass, and channel catfish in John Day Reservoir, Columbia River. Transactions of the American Fisheries Society 120:421-438.

Waples, R. S., J. Robert, P. Jones, B. R. Beckman, and G. A. Swan. 1991. Status review for Snake River fall chinook salmon. NOAA Fisheries Technical Memorandum. NMFS F/NWC-201. National. Marine Fisheries Service, Seattle, WA. 73 p.

Ward, D. L., J. H. Peterson, and J. J. Loch. 1995. Index of predation on juvenile salmonids by northern squawfish in the lower and middle Columbia River and in the lower Snake River. Transactions of the American Fisheries Society 124:321-334.

Weitkamp, L.A. 1994. A Review of the Effects of Dams on the Columbia River Estuary Environment, with Special Reference to Salmonids. Bonneville Power Administration, Portland, OR.

Whitney, R. R., L. Calvin, M. Erho, and C. Coutant. 1997. Downstream passage for salmon at hydroelectric projects in the Columbia River basin: development, installation, and evaluation. U.S. Department of Energy. Northwest Power Planning Council, Report 97-15. Portland, OR.

Whitt, C.R. 1954. The age, growth, and migration of steelhead trout in the Clearwater River, Idaho. M.S. thesis, University of Idaho, Moscow, ID.

Williams, J. G., S. S. Smith, and W. D. Muir. 2001. Survival estimates for downstream migrant yearling juvenile salmonids through the Snake and Columbia River hydropower system, 1966 to 1980 and 1993 to 1999. North American Journal of Fisheries Management. 21:310-317.

Williams, J. G., S. G. Smith, W. D. Muir, B. P. Sandford, S. Achord, R. McNatt, D. M. Marsh, R. W. Zabel, and M. D. Scheuerell. 2004. Effects of the Federal Columbia River Power System on salmon populations. NOAA Fisheries Technical Memorandum. Northwest Fisheries Science Center, Seattle, WA. June.

Wissmar, R.C., J.E. Smith, B.A. McIntosh, H.W. Li, G.H. Reeves, and J.R. Sedell. 1994. Ecological Health of River Basins in Forested Regions of Eastern Washington and Oregon. Gen. Tech. Rep. PNW-GTR-326. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, OR. 65 p.

Wright, S. J. and W. T. Grisoli. 2004. Letter to B. Lohn submitting the FCRPS action agencies' amendment to the 2004/2004-2008 Implementation Plan regarding summer spill reductions and offsets in 2004. Bonneville Power Administration and U.S. Army Corps of Engineers. Portland, OR. June 23.

Zabel, R. W. and J. G. Williams. 2002. Selective mortality in chinook salmon: what is the role of human disturbance? *Ecological Applications* 12: 173-183]

Zimmerman, M. P. 1999. Food habits of smallmouth bass, walleyes, and northern pikeminnow in the lower Columbia River Basin during outmigration of juvenile anadromous salmonids. *Transactions of the American Fisheries Society* 128:1036-1054.

This page intentionally left blank.